



ARL

Analytical Resource Laboratory

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com

Certificate of Analysis

Client Information

Kats Botanicals
6330 N Andrews Ave #297
Fort Lauderdale, FL 33309
(877) 301-9923

Sample Information


ARL ID: 382971
Date Received: 11/24/2020
Description: Kratom Powder Kratom Powder
Lot#: 0000969

Analysis	Method	MDL	Specification	Results	UOM	Lab ID
Kratom 2A Profile						1
Complete Micro Profile	USP, AOAC					1
Total Plate Count (High Count)	USP <2021>	100	< 10 Million	63,000	cfu's/g	1
Coliforms	AOAC 991.14	100	< 10,000	1,600	cfu's/g	1
E. coli	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Absent	Absent	cfu's/10g	1
Yeast (High Count)	USP <2021>	100	< 100,000	None Detected	cfu's/g	1
Mold (High Count)	USP <2021>	100	< 100,000	9000	cfu's/g	1
Heavy Metals	ARL ICPMS 2.60					1
Arsenic (As)	ARL ICPMS 2.60	0.001	< 2	0.094	ppm	1
Cadmium (Cd)	ARL ICPMS 2.60	0.001	< 0.85	0.036	ppm	1
Mercury (Hg)	ARL ICPMS 2.60	0.001	< 0.41	0.023	ppm	1
Lead (Pb)	ARL ICPMS 2.60	0.001	< 1.2	0.834	ppm	1
Mitragynine Package	HPLC 2.046					1
Mitragynine	HPLC 2.046	0.1	0.25-2.00	1.33	%	1
7-Hydroxy-Mitragynine	HPLC	0.04	0.000-0.100	<0.040	%	1

Form# arlcoa031201a

Printed on: Dec 2, 2020 6:11 PM

experience • professionalism • value

Released by: 
Jacob Teller
Dec 2, 2020
Page 1

* ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and Supplement also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.