



**Alliance Analytical Laboratories, Inc.**

179 West Randall Street  
Coopersville, MI 49404  
Phone: (616) 837-7670  
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

**TEST RESULTS REPORT**

**CUSTOMER** Kats Botanicals  
750 Hickory Industrial Drive  
Old Hickory TN 37138,  
Phone: 203-671-0370  
Email: mike@katsbotanicals.com;

**SAMPLE DESCRIPTION** 803190WEP

**SAMPLE DATE** 6/17/2025

**DATE RECEIVED** 6/23/2025

**REFERENCE NUMBER** 2029941: 2535001 **Customer PO**

**TEMPERATURE AT RECEIVING**



Test Requested	Test Method	Results	Ref Number	Start Date
Kratom P3				
7 Hydroxymitragynine		<0.01 %	20152:111	6/23 3:59 PM
	Analyst: 55			
Mitragynine		1.65 %	20152:111	6/23 3:59 PM
	Analyst: 55			
Aerobic Plate Count	^Bam Ch 3 Analyst: 57	Log: 3.2 1700 cfu/g		6/23 2:27 PM
Coliform	^AOAC 991.14 Analyst: 57	Log: <2.0 <100 cfu/g		6/23 2:27 PM
Mold	^Bam Ch18 Analyst: 57	Log: <2.0 <100 cfu/g		6/23 2:27 PM
Salmonella	AOAC 011404 Analyst: 57	Negative/25g		6/23 11:56 AM
			Kit Lot Number: GDSSL05292435F	
Staphylococcus aureus	CMMEF 39.52 Analyst: 57	<3 mpn/g		6/23 2:12 PM
Yeast	^Bam Ch18 Analyst: 57	Log: <2.0 <100 cfu/g		6/23 2:27 PM
E.coli Generic	^AOAC 991.14 Analyst: 57	Log: <2.0 <100 cfu/g		6/23 2:27 PM
Arsenic		0.587 mg/kg	20151:97	6/24 8:00 AM
	Analyst: 45			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement. Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION PURSUANT TO 5 U.S.C.(b)(4)**

**This report must not be reproduced, except in full, without written approval of the laboratory.**

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 7/3/2025

Date: 7/3/2025



**Alliance Analytical Laboratories, Inc.**

179 West Randall Street  
Coopersville, MI 49404  
Phone: (616) 837-7670  
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

**TEST RESULTS REPORT**

**SAMPLE DESCRIPTION** 803190WEP  
**SAMPLE DATE** 6/17/2025  
**DATE RECEIVED** 6/23/2025  
**REFERENCE NUMBER** 2029941: 2535001  
**TEMPERATURE AT RECEIVING**

**Customer PO**



Test Requested	Test Method	Results	Ref Number	Start Date
Cadmium	Analyst: 45	<0.5 mg/kg	20151:97	6/24 8:00 AM
Lead	Analyst: 45	0.720 mg/kg	20151:97	6/24 8:00 AM
Mercury	Analyst: *212 ID#8001	<0.19 mg/kg	25F1518-09	7/1 12:00 PM *Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.  
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION  
PURSUANT TO 5 U.S.C.(b)(4)**

**This report must not be reproduced, except in full, without written approval of the laboratory.**

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 7/3/2025

Date: 7/3/2025