

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER Kats Botanicals
750 Hickory Industrial Drive
Old Hickory TN 37138,
Phone: 203-671-0370
Email: mike@katsbotanicals.com;

SAMPLE DESCRIPTION 856238RMDP

SAMPLE DATE 8/12/2025

DATE RECEIVED 8/16/2025

REFERENCE NUMBER 202969941: 2546670 **Customer PO** TPS USPS

TEMPERATURE AT RECEIVING




Test Requested	Test Method	Results	Ref Number	Start Date
Kratom P3				
7 Hydroxymitragynine		<0.01 %	20160:42	8/19 1:16 PM
	Analyst: 55			
Mitragynine		1.51 %	20160:42	8/19 1:16 PM
	Analyst: 55			
Aerobic Plate Count	^Bam Ch 3 Analyst: 65	Log: 2.0 100 cfu/g		8/18 11:40 AM
Coliform	^AOAC 991.14 Analyst: 65	Log: <2.0 <100 cfu/g		8/18 11:40 AM
Mold	^Bam Ch18 Analyst: 65	Log: <2.0 <100 cfu/g		8/18 11:40 AM
Staphylococcus aureus	CMMEF 39.52 Analyst: 65	<3 mpn/g		8/18 11:40 AM
Yeast	^Bam Ch18 Analyst: 65	Log: <2.0 <100 cfu/g		8/18 11:40 AM
E.coli Generic	^AOAC 991.14 Analyst: 65	Log: <2.0 <100 cfu/g		8/18 11:40 AM
Salmonella	^AOAC 2009.03 Analyst: 65	Negative/25g		8/18 11:04 AM
			Kit Lot Number: GDSSL01312515A	
Arsenic		<0.5 mg/kg	20151:159	8/19 9:22 AM
	Analyst: 45			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:


Audrey Monroe - Laboratory Director

Date: 8/22/2025

Date: 8/22/2025

Page 1 of 2

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

SAMPLE DESCRIPTION 856238RMDP
SAMPLE DATE 8/12/2025
DATE RECEIVED 8/16/2025
REFERENCE NUMBER 202969941: 2546670 **Customer PO** TPS USPS
TEMPERATURE AT RECEIVING




Test Requested	Test Method	Results	Ref Number	Start Date
Cadmium		<0.5 mg/kg	20151:159	8/19 9:22 AM
	Analyst: 45			
Lead		<0.5 mg/kg	20151:159	8/19 9:22 AM
	Analyst: 45			
Mercury		<0.19 mg/kg	25H1059-02	8/20 12:00 PM
	Analyst: *212 ID#8001			*Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:


Audrey Monroe - Laboratory Director

Date: 8/22/2025

Date: 8/22/2025

Page 2 of 2