

Customer Information

Client: Kats Kratom
Attention: mike@katsbotanicals.com
Address: 750 Hickory Industrial
Old Hickory, TN 37138

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: KB-621-TPS
Lot Number: 621261RC
Description: Finely ground plant material
Condition: Good
Job ID: ISO02383
Sample ID: I05689
Received: 13AUG2024
Completed: 19AUG2024
Issued: 20AUG2024

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 20AUG2024 | 0004

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.19	w/w%	0.010	N/A
7-Hydroxymitragynine	Report Results	0.006	w/w%	0.003	N/A
Paynantheine	Report Results	0.238	w/w%	0.010	N/A
Speciogynine	Report Results	0.185	w/w%	0.010	N/A
Speciocilatine	Report Results	0.350	w/w%	0.010	N/A
Total Mitragyna Alkaloids	Report Results	1.97	w/w%	0.010	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 20AUG2024 | 1627

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.0	0.166	ug/g	0.0060	PASS
Cadmium	NMT 0.5	0.0130	ug/g	0.0020	PASS
Lead	NMT 5.0	0.828	ug/g	0.0020	PASS
Mercury	NMT 0.2	0.00539	ug/g	0.0020	PASS

Microbiological Examination

Method Code: T005

Tested: 15AUG2024 | 1230

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU/gram	1,190	CFU/gram	20 CFU/gram	PASS
Total Yeast & Mold	100,000 CFU/gram	60	CFU/gram	20 CFU/gram	PASS
Total Coliforms	10,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
Escherichia coli	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
Salmonella	Not Detected in 25 grams	Not Detected	N/A	1 CFU/25 grams	PASS

Additional Report Notes

N/A

Revision History


rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
		Department:	Management
Name:	Tyler West	Date:	20AUG2024