

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER Kats Kratom
750 Hickory Industrial Drive
Old Hickory TN 37138,
Phone: 203-671-0370
Email: mike@katsbotanicals.com;

SAMPLE DESCRIPTION 867280WEP

SAMPLE DATE 8/29/2025

DATE RECEIVED 9/2/2025

REFERENCE NUMBER 202969941: 2549717 **Customer PO**

TEMPERATURE AT RECEIVING



Test Requested	Test Method	Results	Ref Number	Start Date
Kratom P3				
7 Hydroxymitragynine		<0.01 %	20160:74	9/5 10:39 AM
	Analyst: 55			
Mitragynine		1.54 %	20160:74	9/5 10:41 AM
	Analyst: 55			
Aerobic Plate Count	^Bam Ch 3 Analyst: 06	Log: <2.0 <100 cfu/g		9/3 6:06 PM
Coliform	^AOAC 991.14 Analyst: 06	Log: <2.0 <100 cfu/g		9/3 6:06 PM
Mold	^Bam Ch18 Analyst: 06	Log: <2.0 <100 cfu/g		9/3 6:06 PM
Staphylococcus aureus	CMMEF 39.52 Analyst: 06	<3 mpn/g		9/3 6:06 PM
Yeast	^Bam Ch18 Analyst: 06	Log: <2.0 <100 cfu/g		9/3 6:06 PM
E.coli Generic	^AOAC 991.14 Analyst: 06	Log: <2.0 <100 cfu/g		9/3 6:06 PM
Salmonella	^AOAC 2009.03 Analyst: 65	Negative/25g		9/3 10:00 AM
			Kit Lot Number: GDSSL01312515B	
Arsenic		0.783 mg/kg	20163:17	9/4 9:22 AM
	Analyst: 45			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 9/9/2025

Date: 9/9/2025

Page 1 of 2

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701

**TEST RESULTS
REPORT**

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

SAMPLE DESCRIPTION 867280WEP**SAMPLE DATE** 8/29/2025**DATE RECEIVED** 9/2/2025**REFERENCE NUMBER** 202969941: 2549717 **Customer PO****TEMPERATURE AT RECEIVING**

Test Requested	Test Method	Results	Ref Number	Start Date
Cadmium		<0.5 mg/kg	20163:17	9/5 2:34 PM
	Analyst: 45			
Lead		0.518 mg/kg	20163:17	9/5 2:36 PM
	Analyst: 45			
Mercury		<0.20 mg/kg	25I0082-04	9/4 12:00 PM
	Analyst: *212 ID#8001			*Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 9/9/2025

Date: 9/9/2025

Page 2 of 2