

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

CUSTOMER Kats Botanicals
750 Hickory Industrial Drive
Old Hickory TN 37138,
Phone: 203-671-0370
Email: mike@katsbotanicals.com;

SAMPLE DESCRIPTION Kratom Powder TPS-898-20251002

SAMPLE DATE

DATE RECEIVED 10/4/2025

REFERENCE NUMBER 202969941: 2556823 **Customer PO**

TEMPERATURE AT RECEIVING 71 °F




Test Requested	Test Method	Results	Ref Number	Start Date
Kratom P3				
7 Hydroxymitragynine		<0.01 %	20160:123	10/7 4:35 PM
	Analyst: 55			
Mitragynine		0.95 %	20160:123	10/7 4:35 PM
	Analyst: 55			
Aerobic Plate Count	^Bam Ch 3 Analyst: 68	Log: 2.0 100 cfu/g		10/7 4:17 PM
Coliform	^AOAC 991.14 Analyst: 68	Log: <2.0 <100 cfu/g		10/7 9:19 AM
Mold	^Bam Ch18 Analyst: 68	Log: 2.0 100 cfu/g		10/7 4:17 PM
Staphylococcus aureus	CMMEF 39.52 Analyst: 68	<3 mpn/g		10/7 9:12 AM
Yeast	^Bam Ch18 Analyst: 68	Log: <2.0 <100 cfu/g		10/7 4:17 PM
E.coli Generic	^AOAC 991.14 Analyst: 68	Log: <2.0 <100 cfu/g		10/7 9:12 AM
Salmonella	^AOAC 2009.03 Analyst: 65	Negative/25g		10/7 8:34 AM
			Kit Lot Number: GDSSL01312515B	
Arsenic		0.587 mg/kg	20163:61	10/6 9:38 AM
	Analyst: 45			

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:


Audrey Monroe - Laboratory Director

Date: 10/14/2025

Date: 10/14/2025

Page 1 of 2

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701

**TEST RESULTS
REPORT**

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

SAMPLE DESCRIPTION Kratom Powder TPS-898-20251002**SAMPLE DATE****DATE RECEIVED** 10/4/2025**REFERENCE NUMBER** 202969941: 2556823 **Customer PO****TEMPERATURE AT RECEIVING** 71 °F


Test Requested	Test Method	Results	Ref Number	Start Date
Cadmium		<0.5 mg/kg	20163:61	10/6 9:38 AM
	Analyst: 45			
Lead		0.648 mg/kg	20163:61	10/6 9:38 AM
	Analyst: 45			
Mercury		<0.20 mg/kg	25J0582-05	10/8 12:00 PM
	Analyst: *212 ID#8001			*Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:


Audrey Monroe - Laboratory Director

Date: 10/14/2025

Date: 10/14/2025

Page 2 of 2

Alliance Analytical Laboratories Inc.
179 West Randall Street
Suite A
Coopersville, MI 49404

SAMPLE SUBMITTAL FORM

616-837-7670 - Phone
616-837-7701 - Fax

Client Name Kats Botanicals - TPS (10/02/2025) RUSH		P.O. Number or Project Identification TPS USPS 94055110549585527124		Report Data To: Mike Greenberg		Page 1 of 1
Address 750 Hickory Industrial Drive		Contact Person Mike Greenberg		Phone and Fax 203-671-0370		
City Old Hickory		State TN	Zip Code 37138		Email mike@katsbotanicals.com	
Sample Site No.	Lot Number	SAMPLE DESCRIPTION		ANALYSIS REQUESTED Use Sample Key		Special Reporting Requirements
6819	TPS-804-20251002	Kratom Powder		P3 - RUSH		
6820	TPS-805-20251002	Kratom Powder		P3 - RUSH		
6821	TPS-806-20251002	Kratom Powder		P3 - RUSH		
6822	TPS-807-20251002	Kratom Powder		P3-RUSH		
6823	TPS-808-20251002	Kratom Powder		P3-RUSH		

Analytical Test Request Key

T-1 Total Aerobic Plate Count	\$18.00	T-6 Mitragynine	\$80.00
T-2 E.coli OR Coliform	\$15.00 Each	T-7 7-Hydroxymitragynine	\$80.00
T-3 Yeast & Mold	\$18.00	T-8 Heavy metals	\$115.00
T-4 Listeria sp.	\$45.00	T-9 Staphylococcus sp.	\$20.00
T-5 Salmonella	\$55.00 FDA BAM		
	\$35.00 PCR		

Please call 616-837-7670 if you require a test not listed

PACKAGES	
P1 \$120.00	Total Aerobic Plate Count, E. coli, coliform, Yeast, Mold, Staphylococcus sp, Salmonella
P2 \$230.00	Mitragynine, 7 hydroxymitragynine, Heavy metals
P3 \$320.00	Total Aerobic Plate Count, E. coli, coliform, Yeast, Mold, Staphylococcus sp, Salmonella, mitragynine, 7-hydroxymitragynine, and heavy metals

Each sample submitted receives a \$2.00 fee associated with them. Testing packages do not incur this fee.

For Office Use Only:
Date/Time Received 10/1/25 10:33 Temp (°F) 71.0 Sample Condition OK Initials EW