

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT**CUSTOMER**

Kats Botanicals
750 Hickory Industrial Drive
Old Hickory TN 37138,
Phone: 203-671-0370
Email: mike@katsbotanicals.com;
bryan@katsbotanicals.com;

SAMPLE DESCRIPTION

Kratom Powder Lot TPS-977-031326 KB-TPS

SAMPLE DATE**DATE RECEIVED**

3/18/2026

REFERENCE NUMBER

202969944: 2616068

Customer PO**TEMPERATURE AT RECEIVING**

Test Requested	Test Method	Results	Ref Number	Start Date
7-OH PPM on Dry Weight Basis		<107 ppm		3/19 1:30 PM
	Analyst: 64			
Moisture		5.72 %	20175:67	3/20 3:00 PM
	Analyst: 59			
Kratom P3				
7 Hydroxymitragynine		<0.01 %	20172:70	3/19 1:30 PM
	Analyst: 64			
Mitragynine		1.64 %	20172:70	3/19 1:30 PM
	Analyst: 64			
Aerobic Plate Count	^Bam Ch 3 Analyst: 40	Log: 2.3 200 cfu/g		3/18 5:27 PM
Coliform	^AOAC 991.14 Analyst: 40	Log: <2.0 <100 cfu/g		3/18 5:27 PM
Mold	^Bam Ch18 Analyst: 40	Log: <2.0 <100 cfu/g		3/18 5:27 PM
Staphylococcus aureus	CMMEF 39.52 Analyst: 40	<3 mpn/g		3/18 5:27 PM
Yeast	^Bam Ch18 Analyst: 40	Log: <2.0 <100 cfu/g		3/18 5:27 PM
E.coli Generic	^AOAC 991.14 Analyst: 40	Log: <2.0 <100 cfu/g		3/18 5:27 PM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 3/24/2026

Date: 3/24/2026

Page 1 of 2

**Alliance Analytical Laboratories, Inc.**

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

TEST RESULTS REPORT

SAMPLE DESCRIPTION Kratom Powder Lot TPS-977-031326 KB-TPS
SAMPLE DATE
DATE RECEIVED 3/18/2026
REFERENCE NUMBER 202969944: 2616068 **Customer PO**
TEMPERATURE AT RECEIVING




Test Requested	Test Method	Results	Ref Number	Start Date
Salmonella	^AOAC 2009.03 Analyst: 40	Negative/25g	Kit Lot Number: GDSSL09052514C	3/18 4:05 PM
Arsenic	Analyst: 45	0.779 mg/kg	20169:160	3/19 7:09 AM
Cadmium	Analyst: 45	<0.5 mg/kg	20169:160	3/19 7:10 AM
Lead	Analyst: 45	0.593 mg/kg	20169:160	3/19 7:10 AM
Mercury	Analyst: *212 ID#8001	<0.18 mg/kg	26C0810-01	3/20 12:00 PM *Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION
PURSUANT TO 5 U.S.C.(b)(4)**

This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by:


Audrey Monroe - Laboratory Director

Date: 3/24/2026

Date: 3/24/2026

Page 2 of 2

