



Certificate of Analysis

Customer Information

Client: Kats Botanicals
Attention: mike@katsbotanicals.com
Address: 209 Industrial Drive, Bldg. B
Franklin, KY 42134

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: KB-TPS
Lot Number: 1035
Description: Finely ground plant material
Condition: Good
Job ID: ISO07662
Sample ID: I21483
Received: 17JUL2026
Completed: 23JUL2026
Report Date: 23JUL2026

Test Results

Microbial Examination		Method Code: T005		Tested: 22JUL2026 1248		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	1,450	CFU/g	20 CFU/g	PASS	
Total Yeast and Mold	NMT 100,000 CFU/g	2,400	CFU/g	20 CFU/g	PASS	
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS	
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS	
Salmonella spp.	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS	

Mitragyna Alkaloids (UHPLC-DAD)		Method Code: T102		Tested: 23JUL2026 0622		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Mitragynine	Report Results	1.04	w/w%	0.0053	N/A	
7-Hydroxymitragynine	Report Results	0.00720	w/w%	0.00070	N/A	
Mitragynine Pseudoindoxyl	Report Results	<LOQ	w/w%	0.0053	N/A	
Mitraciliatine	Report Results	0.0416	w/w%	0.0053	N/A	
Speciociliatine	Report Results	0.297	w/w%	0.0053	N/A	
Speciogynine	Report Results	0.167	w/w%	0.0053	N/A	
Paynantheine	Report Results	0.194	w/w%	0.0053	N/A	
Coryantheidine	Report Results	0.0165	w/w%	0.0053	N/A	
Corynoxine	Report Results	<LOQ	w/w%	0.0053	N/A	
Isorhynchophylline	Report Results	<LOQ	w/w%	0.0053	N/A	
Mitraphylline	Report Results	<LOQ	w/w%	0.0053	N/A	
Total Mitragyna Alkaloids	Report Results	1.76	w/w%	0.0053	N/A	

Elemental Impurities (ICP-MS)		Method Code: T301		Tested: 21JUL2026 1224		
-------------------------------	--	-------------------	--	--------------------------	--	--

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.169	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.024	ug/g	0.002	PASS
Mercury	NMT 0.20	0.017	ug/g	0.002	PASS
Lead	NMT 5.00	0.492	ug/g	0.002	PASS

Pesticides (GC-MS/MS)		Method Code: T401		Tested: 22JUL2026 1306		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Acephate	NMT 0.1	ND	mg/Kg	0.01	PASS	
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.01	PASS	
Azinphos-methyl	NMT 1	ND	mg/Kg	0.01	PASS	
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.01	PASS	
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.01	PASS	
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.01	PASS	
Deltamethrin	NMT 0.5	ND	mg/Kg	0.01	PASS	
Diazinon	NMT 0.5	ND	mg/Kg	0.01	PASS	
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.01	PASS	
Dichlorvos	NMT 1	ND	mg/Kg	0.02	PASS	
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.01	PASS	
Omethaote	Report Results	ND	mg/Kg	0.01	N/A	
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.10	PASS	
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.05	N/A	
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.05	N/A	
Ethion	NMT 2	ND	mg/Kg	0.01	PASS	
Etrimphos	NMT 0.05	ND	mg/Kg	0.01	PASS	
Fenchlorphos	NMT 0.1	ND	mg/Kg	0.02	PASS	
Fenchlorphos oxon	Report Results	ND	mg/Kg	0.01	N/A	
Fenitrothion	NMT 0.5	ND	mg/Kg	0.01	PASS	
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.01	PASS	
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.04	PASS	
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.01	N/A	
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.01	N/A	
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.01	N/A	
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.02	PASS	
Fenthion oxon	Report Results	ND	mg/Kg	0.02	N/A	
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.02	N/A	
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.02	N/A	
Fenthion sulfone	Report Results	ND	mg/Kg	0.02	N/A	
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.02	N/A	
Flucythrinate	NMT 0.05	ND	mg/Kg	0.01	PASS	
Fluvalinate	NMT 0.05	ND	mg/Kg	0.01	PASS	
Fonophos	NMT 0.05	ND	mg/Kg	0.01	PASS	
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.02	PASS	
Malathion oxon	Report Results	ND	mg/Kg	0.01	N/A	
Mecarbam	NMT 0.05	ND	mg/Kg	0.01	PASS	
Methacriphos	NMT 0.05	ND	mg/Kg	0.01	PASS	
Methamidophos	NMT 0.05	ND	mg/Kg	0.01	PASS	

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methadathion	NMT 0.2	ND	mg/Kg	0.01	PASS
Monocrotophos	NMT 0.1	ND	mg/Kg	0.01	PASS
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.02	PASS
Paraoxon ethyl	Report Results	ND	mg/Kg	0.01	N/A
Parathion-methyl (and oxon, sum)	NMT 0.2	ND	mg/Kg	0.02	PASS
Paraoxon methyl	Report Results	ND	mg/Kg	0.01	N/A
Pendimethalin	NMT 0.1	ND	mg/Kg	0.01	PASS
Phosalone	NMT 0.1	ND	mg/Kg	0.01	PASS
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.01	PASS
Pirimphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.03	PASS
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.02	N/A
Procymidone	NMT 0.1	ND	mg/Kg	0.01	PASS
Profenofos	NMT 0.1	ND	mg/Kg	0.01	PASS
Prothiophos	NMT 0.05	ND	mg/Kg	0.01	PASS
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.05	PASS
Cinerin I	Report Results	ND	mg/Kg	0.05	N/A
Cinerin II	Report Results	ND	mg/Kg	0.05	N/A
Jasmoline I	Report Results	ND	mg/Kg	0.05	N/A
Jasmoline II	Report Results	ND	mg/Kg	0.05	N/A
Pyrethrin I	Report Results	ND	mg/Kg	0.05	N/A
Pyrethrin II	Report Results	ND	mg/Kg	0.05	N/A
Quinalphos	NMT 0.05	ND	mg/Kg	0.01	PASS
Tetradifon	NMT 0.3	ND	mg/Kg	0.01	PASS
Vinclozolin	NMT 0.4	ND	mg/Kg	0.01	PASS
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
Dieldrin	Report Results	ND	mg/Kg	0.01	N/A
Alachlor	NMT 0.05	ND	mg/Kg	0.01	PASS
Bromopropylate	NMT 3	ND	mg/Kg	0.01	PASS
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
cis-Chlordane	Report Results	ND	mg/Kg	0.01	N/A
trans-Chlordane	Report Results	ND	mg/Kg	0.01	N/A
oxy-Chlordane	Report Results	ND	mg/Kg	0.02	N/A
Chlorpyrifos-ethyl	NMT 0.2	ND	mg/Kg	0.01	PASS
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.01	PASS
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.01	PASS
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.02	PASS
lambda-Cyhalothrin	NMT 1	0.014	mg/Kg	0.01	PASS
Cypermethrins	NMT 1	ND	mg/Kg	0.02	PASS
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.01	PASS
o,p-DDT	Report Results	ND	mg/Kg	0.01	N/A
p,p-DDT	Report Results	ND	mg/Kg	0.01	N/A
o,p-DDE	Report Results	ND	mg/Kg	0.01	N/A
p,p-DDE	Report Results	ND	mg/Kg	0.01	N/A
o,p-DDD	Report Results	ND	mg/Kg	0.01	N/A
p,p-DDD	Report Results	ND	mg/Kg	0.01	N/A
Dicofol	NMT 0.5	ND	mg/Kg	0.01	PASS

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Endosulfans	NMT 3	ND	mg/Kg	0.01	PASS
Endosulfan I	Report Results	ND	mg/Kg	0.01	N/A
Endosulfan II	Report Results	ND	mg/Kg	0.01	N/A
Endosulfan sulfate	Report Results	ND	mg/Kg	0.01	N/A
Endrin	NMT 0.05	ND	mg/Kg	0.01	PASS
Fenvalderate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.02	PASS
Esfenvalerate	Report Results	ND	mg/Kg	0.02	N/A
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.01	N/A
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.01	PASS
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.01	PASS
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.01	N/A
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.01	N/A
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.01	N/A
Lindane	NMT 0.6	ND	mg/Kg	0.01	PASS
Methoxychlor	NMT 0.05	ND	mg/Kg	0.01	PASS
Mirex	NMT 0.01	ND	mg/Kg	0.01	PASS
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.01	PASS
Permethrins (sum)	NMT 1	ND	mg/Kg	0.01	PASS
cis-Permethrin	Report Results	ND	mg/Kg	0.01	N/A
trans-Permethin	Report Results	ND	mg/Kg	0.01	N/A
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.01	PASS
Quintozene (sum of following two)	NMT 1	ND	mg/Kg	0.09	PASS
Pentachloroaniline	Report Results	ND	mg/Kg	0.02	N/A
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.05	N/A
Tecnazene	NMT 0.05	ND	mg/Kg	0.01	PASS
S-421	NMT 0.02	ND	mg/Kg	0.01	PASS

Moisture Content		Method Code: T505		Tested: 23JUL2026 1027		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Moisture	Report Results	5.35	%	0.1	N/A	

7-Hydroxymitragynine Limit (0.04%)		Method Code: 813		Tested: 23JUL2026 1027		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
7-Hydroxymitragynine	NMT 400 PPM	76	ppm	7	PASS	

Additional Report Notes

T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:
DWB w/w% = (as-received w/w%) ÷ (1 – moisture%/100). T401 performed by a registered outsourcing facility.

Revision History


Report ID: 6fa17ad8-e8cd-595b-9f1e-fb48e1b32b3b
rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
		Department:	Management
Name:	Tyler West	Date:	23JUL2026